
Date:

In the accompanying diagram, line  $\ell$  is parallel to line m, and line t is a transversal.



Which must be a true statement?


$$(2) m \angle 1 + m \angle 4 = 180 \quad (2) m \angle 1 + m \angle 8 = 180$$

$$(2) m \angle 1 + m \angle 8 = 180$$

(8) 
$$m \angle 3 + m \angle 6 = 180$$

(4) 
$$m\angle 3 + m\angle 6 = 180$$
 (4)  $m\angle 2 + m\angle 5 = 180$ 


Transversal  $\overrightarrow{EF}$  intersects  $\overrightarrow{AB}$  and  $\overrightarrow{CD}$ , as shown in 2. the diagram below.



Which statement could always be used to prove AB | CD?

- 3. When two parallel lines are cut by a transversal, which angles are *not* always congruent?
  - (1) a pair of alternate interior angles  $\checkmark$
  - (2) a pair of alternate exterior angles /
  - (3) two interior angles on the same side of the transversal
  - (4) two corresponding angles /

4. Quadrilateral *MATH* has coordinates M(-6, -3), A(-1, -3), T(-2, -1), and H(-4, -1). The image of quadrilateral *MATH* after the composition  $r_{x-axis} \circ T_{7,5}$  is quadrilateral M"A"T"H". State and label the coordinates of M"A"T"H".




5. The graph below shows  $\triangle A'B'C'$ , the image of  $\triangle ABC$  after it was reflected over the y-axis.

Graph and label  $\triangle ABC$ , the pre-image of  $\triangle A'B'C'$ .

Graph and label  $\triangle A''B''C''$ , the image of  $\triangle A'B'C'$  after it is reflected through the origin.

State a single transformation that will map  $\triangle ABC$  onto  $\triangle A''B''C''$ .



					Dilahi		
				C	NIC	(III	

- 6. Under the transformation  $(x, y) \rightarrow (2x, 2y)$ , which property is *not* preserved?
  - (1) distance (
- (2) orientation
- (3) parallelism
- (4) angle measure

- 7. If  $\triangle ABC$  and its image,  $\triangle A'B'C'$ , are graphed on a set of axes,  $\triangle ABC \cong \triangle A'B'C'$  under each transformation except
  - (1)  $D_2$
- (2)  $R_{90}$
- (3)  $r_{y=x}$
- (4)  $T_{(-2,3)}$

Size Changes

- 8. Which figure has 60° rotational symmetry?
  - (1) square 90
- (2) equilateral triangle
- (3) regular octagon
- (4) regular hexagon

45

60


- 9. Which figure has 120° rotational symmetry?
  - (1) rhombus (80)
- (2) regular pentagon
- (3) square 90
- (4) equilateral triangle 120

- 10. If  $\triangle A'B'C'$  is the image of  $\triangle ABC$ , under which transformation will the triangles *not* be congruent?
  - (1) reflection over the x-axis
  - (2) translation to the left 5 and down 4
  - (3) dilation centered at the origin with scale factor 2
  - (4) rotation of 270° counterclockwise about the origin

11. After a reflection over a line,  $\triangle A'B'C$  is the image of  $\triangle ABC$ . Explain why triangle ABC is congruent to triangle A'B'C'.

Reflections are rigid motions which preserve distance & 4 measure

12. In the accompanying diagram,  $\overrightarrow{AB}$  and  $\overrightarrow{CD}$  intersect at *E*. Angles *AEC* and *DEB* measure 2x - 6 and 6x - 50, respectively. Find the value of x.



$$2x - 6 = 6x - 50$$
  
 $-2x + 50 - 2x + 50$   
 $-44 = 4x$ 


13. In the accompanying diagram, lines  $\overrightarrow{JK}$  and  $\overrightarrow{LM}$  intersect at N,  $m \angle JNL = 6x - 74$ , and  $m \angle MNK = 2x + 30$ . What is the value of x?

$$M \xrightarrow{N} (6x - 74)^{\circ} L$$

$$(2x + 30)^{\circ} \downarrow K$$

Vertical is are =


14. As shown in the diagram below, lines m and n are cut by transversal p.



If  $m \angle 1 = 4x + 14$  and  $m \angle 2 = 8x + 10$ , lines m and n are parallel when x equals


- (1) 1
- (2) 6
- (3) 13
- (4) 17

15. In the accompanying diagram,  $\overrightarrow{AB}$  is parallel to  $\overrightarrow{CD}$ ; transversal  $\overrightarrow{KL}$  intersects  $\overrightarrow{AB}$  and  $\overrightarrow{CD}$  at E and F, respectively;  $m \angle BEF = 3x + 40$ ; and  $m \angle DFL = 8x - 10$ . Find  $m \angle CFL$ .



 $\triangle ABC$ ,  $\overline{BD}$  is both the median 16. Given: and the altitude of  $\overline{AC}$ .

> $\overline{BA} \cong \overline{BC}$ Prove:



(1) BD is a median BD is an altitude (1) Given

(2) 80 I AC

a) Altitudes creake I lives

3) 21 & 22 are of is 3) I lines form of is

@ 11 = 12

(4) All of is are =

(5) D is a molpt of AC (5) Medians creak molpt

6) AD = CD

6) Mdpt creates 2 =

分配 ~

(7) Reflexive

(B) △ ABD ≅ △ CBD

BA = BC

② Corresponding

Parts of ≅ Is are ≅


In the accompanying diagram, B is the midpoint of  $\overline{AC}$ ,  $\overline{DA} \perp \overline{AC}$ ,  $\overline{EC} \perp \overline{AC}$ , and  $\overline{DB} \cong \overline{EB}$ . Which method of proof may be used to prove  $\triangle DAB \cong \triangle ECB$ ?

(1)  $SAS \cong SAS$ 



(3) HL ≅ HL






In the accompanying diagram,  $\overline{PR} \cong \overline{SQ}$ ,  $\overline{PR} \perp \overline{RQ}$ , and  $\overline{SQ} \perp \overline{RQ}$ . Which statement can be used to prove that  $\triangle PQR \cong \triangle SRQ$ ?

(1)  $AAS \cong AAS$ 




(3) HL ≅ HL






- 19. In the accompanying diagram,  $\overrightarrow{ACE}$ ,  $\overrightarrow{BCD}$ ,  $\overrightarrow{AB}$ , and  $\overrightarrow{DE}$ ,  $\angle A \cong \angle E$ , and C is the midpoint of  $\overrightarrow{AE}$ . Which theorem justifies  $\triangle ABC \cong \triangle EDC$ ?
  - (1)  $SSS \cong SSS$
  - (2) SAS ≅ SAS
  - (3)  $ASA \cong ASA$ 
    - (4) SSA ≅ SSA



20. In the accompanying diagram of isosceles triangle ABC,  $\angle ACB$  is the vertex angle,  $\overline{CM} \perp \overline{AB}$ , and M is the midpoint of  $\overline{AB}$ .


Which statement can not be used to justify  $\triangle ACM \cong \triangle BCM$ ?

- (1) HL ≅ HL
- (2) AAS ≅ AAS
- (3) SSS ≅ SSS
- (4) AAA ≅ AAA



21. Given:  $\triangle ABC$  and  $\triangle EDC$ , C is the midpoint of  $\overline{BD}$  and  $\overline{AE}$ 


Prove: AB = ED




- (1) C is molpt BD & AE
- Ø EC ≅ CC AC ≅ EC
- 4) A ABC = A EDC
- AB = ED

- 1 Given
- A mdpt creates
  2 ≅ segment
  3 Vertical is are ≅


- 22. Construct the altitude of  $\triangle LMN$  from M to  $\overline{LN}$ .




(1)




(2)






(4)



24. The diagram shows the construction of dropping perpendicular  $\overline{PX}$  from point P to line  $\ell$ . The arc drawn from point P intersects line  $\ell$  at A and B, and the arcs drawn from points A and B intersect PX at C.



Which statement is not always true about this construction?

(1) 
$$PA = PB \sqrt{\phantom{a}}$$


(2) 
$$AX = BX \sqrt{ }$$

(1) 
$$PA = PB \checkmark$$
 (2)  $AX = BX \checkmark$  (3)  $PX = CX \times \checkmark$  (4)  $AC = BC \checkmark$ 

(4) 
$$AC = BC \sqrt{ }$$

- 25. To locate a point equidistant from the vertices of a Circumcenter triangle, construct
  - (1) the perpendicular bisectors of the sides
  - (2) the angle bisectors
  - (3) the altitudes
  - (4) the medians

26. In the accompanying diagram, △QRS is similar to  $\triangle LMN$ , RQ = 30, QS = 21, SR = 27, and LN = 7. What is the length of  $\overline{ML}$ ?




- 27. If two angles of one triangle are congruent, respectively, to two angles of another triangle, then these triangles must be
  - (1) isosceles

- (3) congruent
- (4) equilateral


- 28. Which is not a property of all similar triangles?
  - (1) The corresponding angles are congruent.
  - (2) The corresponding sides are congruent. X
  - (3) The perimeters are in the same ratio as the corresponding sides.
  - (4) The altitudes are in the same ratio as the corresponding sides. ✓

29. In the accompanying diagram,  $\overline{SV}$  is the altitude to hypotenuse  $\overline{RT}$  of right triangle RST. If RV = 3 and VT = 12, find the length of  $\overline{SV}$ .



$$\frac{x}{3} = \frac{12}{x}$$


30. In right triangle ABC,  $m \angle C = 90^{\circ}$  and altitude  $\overline{CD}$  is drawn to hypotenuse  $\overline{AB}$ . If AD = 4 and DB = 5, find AC.



31. In the accompanying diagram,  $\triangle RST$  is a right triangle,  $\overline{SU}$  is the altitude to hypotenuse  $\overline{RT}$ , RU = 4, and UT = 12.

What is the length of  $\overline{RS}$ ?

$$\begin{array}{c|ccccc}
\hline
(1) & 8 & (2) & \sqrt{48} \\
\hline
(3) & \sqrt{160} & (4) & 24
\end{array}$$



$$\frac{X}{4} = \frac{16}{x}$$

$$X^2 = 64$$

$$X = 8$$


32. In the accompanying diagram of right triangle ABC,  $\angle C$  is a right angle. Which equation is valid for  $\triangle ABC$ ?

$$\times (1) \cos A = \frac{c}{b} \quad (2) \tan A = \frac{b}{a} \times$$

$$\sqrt{(3) \sin A = \frac{a}{c} \int (4) \cos B = \frac{a}{b} \times$$

33. In the accompanying diagram of right triangle ABC,  $m \angle C = 90$ ,  $m \angle BAC = 48$ , AC = x, and CB = 16.3.

Which equation could be used to find the length of  $\overline{AC}$ ?




$$\times$$
 (1)  $\sin 48 = \frac{16.3}{x}$   $\times$  (2)  $\cos 48 = \frac{x}{16.3}$    
  $\times$  (3)  $\tan 48 = \frac{16.3}{x}$  (4)  $\tan 48 = \frac{x}{16.3}$ 

34. Which value of x satisfies the equation  $\sin 40^{\circ} = \cos x$ ?

(1) 
$$20^{\circ}$$
 (2)  $40^{\circ}$  /(3)  $50^{\circ}$  / (4)  $80^{\circ}$    
  $40 + \chi = 90$    
  $\chi = 50$ 

35. If  $\cos(2x-25)^\circ = \sin 55^\circ$ , find the value of x.

36. An 8-foot rope is tied from the top of a pole to a stake in the ground, as shown in the diagram below.




If the rope forms a 57° angle with the ground, what is the height of the pole, to the *nearest tenth* of a foot?

(1) 4.4 (2) 6.7 (3) 9.5 (4) 12.3

Sm 57 = 
$$\frac{x}{8}$$

37. A tree casts a 25-foot shadow on a sunny day, as shown in the diagram below.



If the angle of elevation from the tip of the shadow to the top of the tree is 32°, what is the height of the tree to the nearest tenth of a foot?

(1) 13.2 (2) 15.6 (3) 21.2 (4) 40.0   

$$\tan 32 = \frac{x}{25}$$

38. The expression  $\sqrt{27} + \sqrt{12}$  is equal to

(1) 
$$13\sqrt{3}$$
  $\sqrt{(2)}$   $5\sqrt{3}$   $\sqrt{(3)}$   $5\sqrt{6}$  (4)  $\sqrt{39}$   $\sqrt{9}$   $\sqrt{3}$  +  $\sqrt{4}$   $\sqrt{3}$   $\sqrt{3}$  +  $\sqrt{4}$   $\sqrt{3}$   $\sqrt{3}$  +  $\sqrt{3}$   $\sqrt{3}$  +  $\sqrt{3}$   $\sqrt{3}$ 

- 39. The expression  $\sqrt{200}$  is equivalent to
  - (1) 25√8
- (2)  $100\sqrt{2}$
- (3)  $2\sqrt{10}$
- (4) 10√2

100.52


- 40. Which set of numbers represents the lengths of the sides of a right triangle?
  - (1)  $\{7, 8, 9\}$
- (2) {7, 8, 10}
- (3) {6, 8, 10}
- (4) {6, 8, 9}

{3,4,5} times 2

- 41. Which set of numbers could not represent the lengths of the sides of a right triangle?
  - (1) {3,4,5}
- (2) [6, 9, 12]
- $(3) \{5, 12, 13\} \checkmark$
- (4) {8, 15, 17} \square


Pythagorean Triples

In the accompanying diagram, ∠ACD is an exterior angle of △ABC. If m∠A = 60 and m∠B = 50, find m∠ACD.




Ext. L Theorem

43. In the diagram shown,  $m \angle BCD = 140$  and  $m \angle BAC = 80$ . Find  $m \angle ABC$ .



mz ABC = 60

44. In the diagram of  $\triangle ABC$  below,  $\overline{AB}$  is extended to point D.




If  $m\angle CAB = x + 40$ ,  $m\angle ACB = 3x + 10$ , and  $m\angle CBD = 6x$ , what is  $m\angle CAB$ ?


- (1) 13
- (3) 53
- (4) 65


$$X + 40 + 3x + 10 = 6X$$

45. In the accompanying diagram of scalene triangle  $\triangle ABC$ , D and E are the midpoints of  $\overline{AB}$  and  $\overline{AC}$ , respectively, and  $\overline{DE} = 7$ . Find the length of  $\overline{BC}$ 




Points R, S, and T are the midpoints of the sides of a triangle whose sides have lengths 14, 18, and 20. Find the perimeter of  $\triangle RST$ .






In the accompanying diagram,  $\overline{ABC} \parallel \overline{DE}$ ,  $m \angle FDE = 25$ ,  $m \angle DFE = 130$ , and  $m \angle ABD = x$ . What is the value of x?



48. In the accompanying diagram,  $\overrightarrow{AB}$  is a parallel to  $\overrightarrow{CD}$ ,  $m \angle BAC = 46$ , and  $m \angle BCD = 65$ . Find the measure of  $\angle ACB$ .



49. If the measure of the angles of a triangle are represented by 2x, 4x, and 6x, then the triangle is

- (2) obtuse
- (3) acute
- (4) equiangular


50. If the measures of the angles of a triangle are represented by x + 30, 4x + 30, and 10x - 30, the triangle must be

(2) obtuse

(4) scalene

$$X = 10$$

51. In  $\triangle KID$ ,  $m \angle K = 40$  and  $m \angle D = 80$ . Which side of  $\triangle KID$  is the shortest?



Shortest Side -> Smallest L

Longest Side -> Lorgest 2




52. In  $\triangle PQR$ ,  $m\angle P = 51$  and  $m\angle Q = 57$ . Which expression is true?

(1) 
$$QR > PQ \times$$


(2) 
$$PR > PQ \times$$

$$(3) PQ > QR$$

(4) 
$$PQ > QR$$




- 53. If M is the midpoint of  $\overline{AB}$ , then which statement is false?
- What is the image of point (4,5) after a reflection in the y-axis?
- (1)  $\frac{AB}{2} = MB \sqrt{}$  (2)  $AM = MB \sqrt{}$
- (3)  $AB MB = AM \sqrt{(4)} AM + AB = MB$





( y-axis -> x changes signs

- 54. In which figure is  $\triangle A'B'C'$  a reflection of  $\triangle ABC$
- in line ℓ?









56. The coordinates of any point (x, y) after a reflection in the x-axis can always be represented

(1) 
$$(x, y)$$

(2) 
$$(-x, y)$$

$$(3)$$
  $(x,-y)$ 

(4) 
$$(-x, -y)$$

39. Answer: 40. Answer: 3 41. Answer: 2 42. Answer: 110 43. Answer: 60 44. Answer: 4 45. Answer: 14 46. Answer: 26 47. Answer: 65 48. 69 Answer: 49. Answer: 1 50. Answer: 1 51.  $\overline{ID}$ Answer: 52. 母 3 Answer: 53. 4 Answer: 54.

2

55.

Answer:

Answer:

(-4, 5)

56.

Answer:

3

## Problem-Attic format version 4.4.236

© 2011-2015 EducAide Software
Licensed for use by Robyn-Sweeney
Terms of Use at www.problem-attic.com

## Geometry Midterm Review 01/13/2016

1. Answer:	4	19. Answer:	3
	.#.	50.023	3
2. Answer:	3	20. Answer:	4
3. Answer:	3	21. Answer:	[task]
4. Answer:	M''(1,-2), $A''(6,-2)$ , $T''(5,-4)$ , and $H''(3,-4)$ are stated and labeled.	22. Answer:	[construction]
5	Appropriate work is shown.	23. Answer:	3
5. Answer:	$\triangle ABC$ and $\triangle A''B''C''$ are graphed and labeled correctly, and a reflection over the	24. Answer:	3
6.	x-axis is stated.	25. Answer:	1
Answer:	1	26. Answer:	10, and appropriate work is shown.
Answer:	1	27.	1
8.		Answer:	2
Answer:	4	28.	
9. Answer:	4	Answer: 29.	2
10. Answer:	3	Answer:	6
11. Answer:	[answers vary] A correct explanation is	30. Answer:	6
	written	31. Answer:	1
12. Answer:	11	32. Answer:	3
13. Answer:	26	33.	
14.		Answer: 34.	3
Answer:	3	Answer:	3
15. Answer:	110	35. Answer:	30
16. Answer:	[proof]	36. Answer:	2
17. Answer:	3	37. Answer:	2
18. Answer:	2	38. Answer:	2
		www.man.muldi.madi.f	ATT.